

SUMMARY OF PRODUCT CHARACTERISTICS

1. NAME OF THE VETERINARY MEDICINAL PRODUCT

Anivit 4BC Solution for Injection

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

Active Substance:	% w/v
Thiamine Hydrochloride	3.5
Riboflavin Sodium Phosphate	0.05
Pyridoxine Hydrochloride	0.70
Nicotinamide	2.30
Ascorbic Acid	7.00

Excipients:

Chlorocresol (as preservative)	0.1
--------------------------------	-----

For a full list of excipients, see section 6.1

3. PHARMACEUTICAL FORM

Solution for injection.
A clear, pale yellow liquid

4. CLINICAL PARTICULARS

4.1 Target species

Horses
Cattle
Sheep

4.2 Indications for use, specifying the target species

For the treatment of cerebrocortical necrosis in cattle and sheep, the treatment of bracken poisoning in horses and for the treatment of Vitamin B deficiencies in horses, cattle and sheep.

4.3 Contraindications

Anaphylactic reactions, particularly in the horse, may occur following intravenous administration. When this route is used, the product should be given slowly and may be diluted with sterile saline or dextrose saline solution.

4.4 Special Warnings for each target species

None

4.5 Special precautions for use

Special precautions for use in animals

None

Special precautions to be taken by the person administering the veterinary medicinal product to animals

Care should be taken to avoid accidental self-injection. Wash hands after use.

4.6 Adverse reactions (frequency and seriousness)

There may be slight irritation at the injection site when the product is given by the subcutaneous or intramuscular routes.

4.7 Use during pregnancy, lactation or lay

Anivit 4BC can be safely administered to pregnant and lactating animals.

4.8 Interaction with other medicinal products and other forms of interaction

None

4.9 Amounts to be administered and administration route

Administer by subcutaneous, deep intramuscular or slow intravenous injection. The dose should be repeated daily as required. Normal aseptic precautions should be observed.

Horses, Cattle	20 - 30 ml
Calves, Foals	5 - 10 ml
Sheep	5 - 10 ml

If dose volume exceeds 20 ml, it should be divided and injected into two sites.

4.10 Overdose (symptoms, emergency procedures, antidotes), if necessary

Not applicable.

4.11 Withdrawal period

Meat :	Zero days
Milk :	Zero hours

5. PHARMACOLOGICAL PROPERTIES

Pharmacotherapeutic group: [Vitamin B-complex, with vitamin C](#)

ATC Vet Code: QA11EB

5.1 Pharmacodynamic properties

Thiamine Hydrochloride (Vitamin B₁) acts as a co-enzyme in the breakdown of glucose and glycogen. Riboflavin Sodium Phosphate (Vitamin B₂) is phosphorylated to form the co-enzymes Riboflavin-5-phosphate and Flavin Adenine Dinucleotide (FAD) which act as hydrogen recipients and donors.

Pyridoxine Hydrochloride (Vitamin B₆) is converted to pyridoxal phosphate which functions as a co-enzyme with the transaminases and decarboxylases in the metabolism of proteins and amino acids. Nicotinamide is converted into the essential co-enzymes Nicotinamide Adenine Dinucleotide (NAD) and Nicotinamide Adenine Dinucleotide Phosphate (NADP).

Vitamin C (Ascorbic Acid) is involved in the conversion of folic acid to tetrahydrofolic acid and the conversion of proline to hydroxyproline which is essential to the formation of collagen.

6. PHARMACEUTICAL PARTICULARS

6.1 List of excipients

Chlorocresol
Disodium Edetate Dihydrate
Propylene Glycol
Sodium Hydroxide
Water for Injections

6.2 Incompatibilities

None known

6.3 Shelf life

Shelf life of the veterinary medicinal product as packaged for sale: 2 years
Shelf life after first opening the immediate packaging: 28 days.

6.4 Special precautions for storage

Protect from light. Do not store above 25°C. Following withdrawal of first dose use the product within 28 days. Discard unused material.

6.5 Nature and composition of immediate packaging

50 ml and 100 ml amber Type II glass vials, sealed with bromobutyl bungs and aluminium caps.

Not all pack sizes may be marketed.

6.6 Special precautions for the disposal of unused veterinary medicinal product or waste materials derived from the use of such products

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

7. MARKETING AUTHORISATION HOLDER

Norbrook Laboratories Limited

8. MARKETING AUTHORISATION NUMBER(S)

Vm 02000/4219

9. DATE OF FIRST AUTHORISATION

28th March 2002

10. DATE OF REVISION OF THE TEXT

October 2008

DISTRIBUTED BY

Animalcare Ltd
10 Great North Way
York Business Park
Nether Poppleton
York
YO26 6RB